

Table of Contents

	Page
Foreword.....	v
1.0 THE NEED TO CONSIDER THE HUMAN IN SYSTEM DESIGN, OPERATION, AND SUPPORT	1
2.0 FUNDAMENTAL CONCEPTS	3
2.1 Factors that Affect Human Performance	3
2.1.1 Operating Environments	3
2.1.2 Human Abilities	4
2.1.3 Externally Imposed Factors	5
2.1.4 Time Duration and Fatigue	6
2.2 Reliable Human Performance	6
2.2.1 Definition of Human Performance Reliability	6
2.2.2 Classification of Human Errors	7
2.2.3 Comparison of Machine and Human Reliability	7
2.3 Modeling the Human for Reliability Evaluation Purposes	8
3.0 STRUCTURING A HUMAN-ORIENTED SYSTEM OR PROCESS DEVELOPMENT	13
3.1 Evaluating the Customer Need – Use Analysis	13
3.1.1 A General Approach to Use Analysis	13
3.1.2 Introduction to Quality Function Deployment	15
3.2 The Overall Human Function Design Process	18
3.3 Elements of a Human Engineering Program	19
3.3.1 General Activities	19
3.3.2 Design and Development Activities	23
3.3.2.1 Design Tools and Methods	24
3.3.2.2 Design Reviews	29
3.3.3 Test and Verification Activities	30
3.4 Interfaces Between the Human Engineering Program and the Reliability and Maintainability Program	30
4.0 DESIGNING FOR HUMANS – BASIC PRINCIPLES AND TOOLS	33
4.1 Qualitative and Quantitative Allocation of Functions in Human-Machine Systems and Processes	33
4.1.1 Qualitative Allocation of Functions	33
4.1.2 Allocation of Quantitative Requirements	35
4.1.2.1 AGREE Allocation Method	36
4.1.2.2 An Optimization Approach	37
4.2 Human Engineering Analysis Methods	38
4.2.1 Overview	39
4.2.2 Mission Analysis (Use Analysis)	39
4.2.3 Predetermined Time Standards (PTSS)	42
4.2.4 Cognitive Task Analysis (CTA)	43
4.2.5 Flow Methods, Functional Allocation, and Workload Analysis	44
4.2.6 Situation Awareness (SA) Analysis	45
4.2.7 Link Analysis	46

Table of Contents (Cont'd)

	Page	
4.2.8	Action/Information Requirements	49
4.3	Task Analysis.....	50
4.3.1	Overview.....	50
4.3.2	Task Inventory	50
4.3.3	Task Analysis.....	51
4.4	Operational Sequence Diagrams and Other Flow Methods.....	54
4.4.1	Operational Sequence Diagram (OSD) Overview	54
4.4.2	OSD Guidelines	55
4.4.3	Functional Flow Diagram Overview.....	58
4.4.4	Functional Flow Diagram Guidelines	59
4.4.5	Overview of Flow Process Charts.....	60
4.4.6	Flow Process Chart Guidelines	62
4.4.7	Decision/Action Diagrams Overview	62
4.4.8	Decision/Action Diagram Guidelines	63
4.4.9	Timeline Overview	63
4.4.10	Timeline Guidelines.....	63
4.4.11	Integrated Computer-Aided Manufacturing Definition (IDEF) Overview.....	63
	4.4.11.1 IDEF0.....	64
	4.4.11.2 IDEF1X.....	65
4.5	Workload Analysis	66
4.6	Fault Tree Analysis and Similar Techniques.....	69
4.6.1	Fault Tree Analysis (FTA).....	69
4.6.2	Event Trees	73
4.7	Human Engineering Design Guidelines	74
4.8	Computer-Aided Design Tools for Human Engineering.....	75
4.9	Human Interface Simulators	76
4.9.1	General Description	77
4.9.2	VAPS/CCG by Virtual Prototypes.....	77
5.0	METHODS FOR QUANTITATIVE ANALYSIS OF HUMAN-MACHINE SYSTEMS.....	81
5.1	Quantitative Metrics for Human-Machine Systems and Processes.....	81
5.1.1	Performance Metrics	81
5.1.2	Reliability, Maintainability, and Availability Metrics.....	82
5.2	Quantitative Analysis Methods.....	84
5.2.1	Overview.....	84
5.2.2	Methods for Analyzing Human Performance	84
5.2.3	Methods for Analyzing Human Performance Reliability	85
5.2.4	Technique for Human Error Rate Prediction (THERP).....	86
5.2.5	Human Cognitive Reliability (HCR)	88
5.2.6	Maintenance Personnel Performance Simulation (MAPPS)	89
5.2.7	Success-Likelihood Index Methodology (SLIM, SLIM-MAUD).....	90
5.2.8	REHMS-DTM.....	92

Table of Contents (Cont'd)

		Page
	5.2.9 Micro Saint.....	93
6.0	HUMAN ENGINEERING DESIGN GUIDELINES.....	95
6.1	Displays and Communications.....	95
6.1.1	Visual Displays.....	97
6.1.1.1	General Considerations.....	97
6.1.1.2	Types of Visual Displays.....	98
6.1.1.3	Visual Fields.....	102
6.1.1.4	Visual Acuity.....	103
6.1.1.5	Visual Display Coding Methods.....	107
6.1.1.6	Fixed and Moving Pointer Displays.....	109
6.1.1.7	Counters, Printers, and Flags.....	110
6.1.2	Auditory Displays.....	110
6.1.2.1	Application Guidelines for Auditory Displays.....	110
6.1.2.2	Relationship Between Auditory Alarm Intensity Level and Reaction Time.....	112
6.1.2.3	Coding of Audio Signals.....	113
6.1.3	Tactual Displays.....	113
6.1.4	Olfactory and Other Displays.....	114
6.1.5	Speech Communications.....	114
6.1.5.1	Speech Intelligibility.....	114
6.1.5.2	Articulation Index.....	116
6.1.5.3	Preferred-Octave Speech Interference Level (PSIL).....	117
6.1.5.4	Some Notes on Speech Transmitting and Receiving Equipment.....	118
6.2	Controls and Tools.....	119
6.2.1	General Considerations Controls and Tools.....	119
6.2.1.1	Workload.....	119
6.2.1.2	Endurance and Rest.....	120
6.2.1.3	Time and Distance of Movement.....	121
6.2.1.4	Reaction Time.....	121
6.2.1.5	Arrangement.....	122
6.2.1.6	Characteristics of Common Controls.....	124
6.2.1.7	Control Coding.....	124
6.2.2	Application Guidance.....	125
6.2.3	Tools.....	130
6.3	Workspace Design.....	130
6.3.1	Anthropomorphic Considerations.....	130
6.3.2	Workspace Arrangement Guidelines.....	143
6.3.3	Workspace Design Computer Tools.....	157
6.3.3.1	Low-end Software.....	159
6.3.3.2	High-end Software.....	160
6.4	Environment.....	162
6.4.1	Reliability Interpretation of Environment.....	163

Table of Contents (Cont'd)

	Page
6.4.2	6.4.2 Illumination..... 164
6.4.3	6.4.3 Atmospheric Conditions 168
6.4.4	6.4.4 Pressure, Oxygen, and Ventilation..... 170
6.4.4.1	6.4.4.1 Pressure and Oxygen..... 170
6.4.4.2	6.4.4.2 Ventilation..... 171
6.4.5	6.4.5 Ambient Noise 172
6.4.6	6.4.6 Vibration and Acceleration 175
6.4.6.1	6.4.6.1 Vibration 175
6.4.6.2	6.4.6.2 Acceleration 176
6.5	6.5 Time..... 177
6.5.1	6.5.1 Time-on-Station 177
6.5.2	6.5.2 Biological Rhythms..... 177
6.5.2.1	6.5.2.1 Diurnal or Circadian Rhythms 177
6.5.2.2	6.5.2.2 Other Rhythms 178
6.5.3	6.5.3 Time Constraints and Reliability 178
7.0	7.0 TESTING CONSIDERATIONS 183
7.1	7.1 Objectives and Activities..... 183
7.2	7.2 Human Test Subjects 183
7.3	7.3 Simulation Versus Actual Testing..... 184
7.4	7.4 Test Data..... 185
7.5	7.5 Data Collection Methods..... 186
8.0	8.0 STANDARD DATA SOURCES..... 187
8.1	8.1 General Considerations for Data Sources..... 187
8.2	8.2 Standard Human Factors Data Sources 187
8.3	8.3 Human Performance Reliability Data Sources 188
8.3.1	8.3.1 NUCLARR..... 189
8.3.2	8.3.2 THERP..... 189
9.0	9.0 SPECIAL TOPICS..... 191
9.1	9.1 Information Technology-Based Systems..... 191
9.1.1	9.1.1 Basics of IT System Development..... 191
9.1.2	9.1.2 Creating IT Systems that People Can Use Reliably..... 192
9.2	9.2 Manufacturing, Assembly, and Testing Processes 193
9.3	9.3 Some Notes on Human-Computer Interfaces 194
9.3.1	9.3.1 General Design Guidelines 195
9.3.2	9.3.2 Data Entry and Control 196
9.3.3	9.3.3 Visual Displays 197
9.3.4	9.3.4 Audio Displays..... 198
9.4	9.4 Evaluation of Technical Manuals 198
9.4.1	9.4.1 Writing Manuals for Reliable Use 198
9.4.2	9.4.2 Evaluating Technical Manuals..... 199
10.0	10.0 REFERENCES..... 201
10.1	10.1 Reliability and Maintainability 201
10.2	10.2 Human Factors..... 202

Table of Contents (Cont'd)

	Page
Appendix A: Resources	205
Appendix B: Education and Training Services.....	209

List of Figures

	Page
Figure 1.0-1. The Impact of the Human on System and Process Reliability	2
Figure 2.1-1. Factors That Affect Human Performance	3
Figure 2.1-2. Operating Environments and Zones of Human Performance	4
Figure 2.1-3. Reliability Aspects of Human Abilities	5
Figure 2.3-1. The Cognitive Model Plus Other Influences	8
Figure 2.3-2. Models of the Sensing Function	9
Figure 2.3-3. Common Response Options.....	10
Figure 2.3-4. Task Performance Time Reliability.....	11
Figure 3.1-1. Simplified Use Analysis Approach.....	13
Figure 3.1-2. The House of Quality.....	16
Figure 3.1-3. Example of Filling in the Central Portion of the House of Quality.....	17
Figure 3.1-4. The Use of QFD in Development Phases	17
Figure 3.2-1. The Three Aspects of Designing Human Functions.....	18
Figure 4.2-1. Sample Mission Profile.....	41
Figure 4.2-2. Sample Link Table.....	47
Figure 4.2-3. Sample Adjacency Layout Diagram	48
Figure 4.2-4. Sample Spatial Operational Sequence Diagram	48
Figure 4.4-1. Sample Operational Sequence Diagram (Vertical Format)	56
Figure 4.4-2. Sample Functional Flow Diagram (Two Levels Shown)	60
Figure 4.4-3. Sample Flow Process Chart	61
Figure 4.4-4. Sample Decision/Action Diagram	62
Figure 4.4-5. Basic Function Box for an IDEF0 Graph	64
Figure 4.4-6. System Decomposition with IDEF0	65
Figure 4.4-7. IDEF1X Graph that Shows Conventions for Entities and Their Relationships.....	66
Figure 4.5-1. Sample Workload Analysis	67
Figure 4.6-1. Fault Tree Expanded to Include Human Faults as Bottom Events	73
Figure 4.6-2. An Example of an Event Tree.....	74
Figure 4.7-1. The Human Function and Interface Design Process.....	74
Figure 4.7-2. The Organization of Human Engineering Design Guidelines.....	75
Figure 4.9-1. Human-machine Interface Simulation	77
Figure 4.9-2. VAPS Advanced Tactical Fighter Screen.....	78
Figure 4.9-3. VAPS Interior of Mercedes-Benz 1999 S500.....	79
Figure 5.2-1. Finite Element Analysis of a Human Jaw.....	84
Figure 5.2-2. Sample THERP Probability Tree.....	87
Figure 5.2-3. The REHMS-D Human Model	92
Figure 5.2-4. Micro Saint Discrete Event Simulator Screen	94
Figure 6.1-1. The Impact of Displays and Communications (Cognitive Model).....	95
Figure 6.1-2. A Simple Example of Display-Control Grouping	96
Figure 6.1-3. Normal Line of Sight	98
Figure 6.1-4. Human Visual Fields	103
Figure 6.1-5. Visual Acuity Determination	104
Figure 6.1-6. Guidelines for Distance and Grouping	106

List of Figures (Cont'd)

	Page
Figure 6.1-7. Sample Fixed and Moving Pointer Displays	109
Figure 6.1-8. The Relationship Between Signal Intensity and Reaction Time	112
Figure 6.1-9. Speech Intelligibility and Detectability in Noise	115
Figure 6.1-10. Impact of Signal-to-Noise Ratio on Intelligibility of Speech	115
Figure 6.1-11. Comprehension Reliability as a Function of Articulation Index	117
Figure 6.1-12. Preferred-octave Speech Interference Level (PSIL)	118
Figure 6.2-1. Endurance as a Function of Required Strength	120
Figure 6.2-2. Movement Time as a Function of Length of Movement	121
Figure 6.2-3. Reaction Time as a Function of Number of Choices	122
Figure 6.3-1. Process for Using Anthropomorphic Data	131
Figure 6.3-2. Example of Static Human Physical Dimension Data	137
Figure 6.3-3. Typical Presentation of Range of Motion Data	139
Figure 6.3-4. Touch, Grip, and Grasp Functions	140
Figure 6.3-5. Typical Strength Data Presentation for Tasks	143
Figure 6.3-6. Typical Assembly Process Area	144
Figure 6.3-7. Providing Access Space Through Integral Design	144
Figure 6.3-8. Equipment Spacing Guidelines	145
Figure 6.3-9. Standing Workspace Equipment Layout	146
Figure 6.3-10. Guidelines for Seated Operations	146
Figure 6.3-11. Console Design Guidelines	149
Figure 6.3-12. Horizontal Wrap-Around Guidelines	150
Figure 6.3-13. Guidelines for Vertically Stacked Segments – No Over the Top Forward Vision Required	150
Figure 6.3-14. Functional Reach Arc and Equidistant Visual Arc for a Stand Console	150
Figure 6.3-15. Placement of Controls and Displays on Stand Consoles	151
Figure 6.3-16. Multi-person Console Configuration Options	152
Figure 6.3-17. Walkway and Passageway Dimensions	154
Figure 6.3-18. Type of Structure in Relation to Angle of Ascent	155
Figure 6.3-19. Guidance for Door Dimensions	156
Figure 6.3-20. A Comparison of Optional Approaches to Design	158
Figure 6.3-21. Typical Two-Dimensional Workspace Arrangement Drawing	159
Figure 6.3-22. Three-Dimensional Workspace Arrangement Drawing	160
Figure 6.3-23. Low-End Individual Workspace Visualization	160
Figure 6.3-24. SAFEWORK PRO Work Area Visualization	161
Figure 6.3-25. SAFEWORK PRO Aircraft Maintenance Visualization	162
Figure 6.3-26. SAFEWORK PRO Pilot Accommodation Visualization	162
Figure 6.4-1. Zones of Human Performance Reliability	163
Figure 6.4-2. National Weather Service (NWS) Thermal Zones and Work Intensity Thermal Zones	168
Figure 6.4-3. Comfort Zones as a Function of Temperature and Pressure	169
Figure 6.4-4. Temperature Effects on Human Performance – Sedentary Work/Light Clothing Example	170
Figure 6.4-5. Pressure-Oxygen Effects	171

List of Figures (Cont'd)

	Page
Figure 6.4-6. Ventilation Requirements	172
Figure 6.4-7. OSHA Ambient Noise Protracted Exposure Rules.....	173
Figure 6.4-8. Permissible Distance Between a Speaker and Listeners for Specified Voice Levels and Ambient Noise Levels	174
Figure 6.4-9. Range of Acceptable Reverberation Time.....	174
Figure 6.4-10. The Effects of Longitudinal Vibration on Human Performance	175
Figure 6.4-11. The Effects of Transverse Vibrations on Human Performance.....	176
Figure 6.5-1. Performance Degradation as a Function of Time Without Rest.....	177
Figure 6.5-2. A Typical Diurnal Rhythm	178
Figure 6.5-3. Plots of the Lognormal Probability Density Function.....	179
Figure 6.5-4. Plots of the Lognormal Cumulative Distribution Function	180
Figure 6.5-5. Concepts Related to Time Constraints and Reliability	180
Figure 8.1-1. Sources of Human Factors Data	187
Figure 9.1-1. Designing for Human Operation in IT System or Process Development.....	191
Figure 9.1-2. A Human-Oriented Process for Designing IT Systems.....	192
Figure 9.4-1. Sample Technical Manual Evaluation Form (from MIL-HDBK-1472).....	200

List of Tables

		Page
Table 2.2-1.	Human Errors Not Caused by System or Process Design	7
Table 2.2-2.	Comparison Between Machine and Human Reliability	7
Table 3.1-1.	Table for Developing the System or Process Environment Requirements....	14
Table 3.3-1.	Development Phases and Human Engineering Activity	20
Table 3.3-2.	Hypothetical Example of Program Manpower Estimates.....	21
Table 3.3-3.	Human Engineering Meetings	22
Table 3.3-4.	Commonly Used Data Items.....	22
Table 3.3-5.	Human Engineering Design and Development Method Selection	25
Table 3.3-6.	Application of Human Engineering Methods	25
Table 3.3-7.	Type of Mockups and Their Characteristics.....	28
Table 3.4-1.	Corresponding Reliability and Human Engineering Activities	31
Table 4.1-1.	Human-Machine Capabilities (Fitts Law)	34
Table 4.1-2.	Design Evaluation Matrix Example.....	35
Table 4.1-3.	Design Evaluation Trade Matrix.....	36
Table 4.2-1.	Summary of Human Engineering Analysis Methods	40
Table 4.2-2.	Mission Analysis Methods.....	41
Table 4.2-3.	Method Time Measurement (MTM) Sample Table	43
Table 4.2-4.	Summary of Cognitive Task Analysis (CTA) Methods	44
Table 4.2-5.	Summary of SAGAT and SART Methods	46
Table 4.2-6.	Sample Action/Information Requirement.....	49
Table 4.3-1.	Task Categories.....	51
Table 4.4-1a.	Symbols Used in Operational Sequence Diagrams	57
Table 4.4-1b.	Symbols Used in Operational Sequence Diagrams	58
Table 4.6-1.	Fault Tree Analysis Symbols.....	70
Table 4.6-2.	Fault Tree Analysis Fundamentals	71
Table 4.6-3.	Rules for Fault Tree Construction	72
Table 4.6-4.	Potential Results from Fault Tree Analysis	72
Table 5.2-1.	Sample THERP Error Probabilities	87
Table 5.2-2.	MAPPS Features.....	89
Table 5.2-3.	MAPPS Variables	89
Table 6.1-1.	General Guidelines for Displays and Their Associated Controls	96
Table 6.1-2.	Guidelines for Choosing Between Auditory and Visual Displays	97
Table 6.1-3.	Visual Displays and Their Uses.....	98
Table 6.1-4.	A General Guide to Visual Display Selection	101
Table 6.1-5.	Use of Analog and Digital Displays	102
Table 6.1-6.	Minimum Alphanumeric Character Height as a Fraction of Viewing Distance and at a Viewing Distance of 457mm (18 in.) (fL = foot-lambert)	104
Table 6.1-7.	Size Guidance for Selected Display Types.....	104
Table 6.1-8.	Color Reflectance Values	106
Table 6.1-9.	Types of Visual Coding	107
Table 6.1-10.	Color Coding of Transilluminated Displays.....	108
Table 6.1-11.	Coding of Simple Indicator Lights	108
Table 6.1-12.	Potentially Useful Combinations of Visual Coding	109

List of Tables (Cont'd)

	Page
Table 6.1-13. Characteristics and Ratings of Fixed and Moveable Pointer Scales for Various Uses.....	109
Table 6.1-14. Characteristics and Ratings of Counters, Printers, and Flags for Various Uses.....	110
Table 6.1-15. Characteristics and Features of Certain Types of Audio Alarms	111
Table 6.1-16. Characteristics and Ratings of Auditory Displays for Various Uses.....	111
Table 6.1-17. Levels of Auditory Dimensions Identifiable on an Absolute Basis.....	113
Table 6.1-18. Tactual Stimuli and their Parameters.....	113
Table 6.1-19. Speech Intelligibility Criteria for Various Communication Requirements and Evaluation Methods	116
Table 6.1-20. Dynamic Ranges for High Noise Environments.....	118
Table 6.2-1. Energy Expenditure as a Function of Posture.....	119
Table 6.2-2. Energy Expenditure as a Function of Work Intensity.....	120
Table 6.2-3. Minimum Spacing Between Controls.....	123
Table 6.2-4. Characteristics of Common Controls for Discrete Adjustments	124
Table 6.2-5. Advantages and Disadvantages of Different Types of Coding.....	125
Table 6.2-6. Guidance in Applying Controls	126
Table 6.3-1. Anthropomorphic Measures of Common Working Positions	132
Table 6.3-2. Male Muscle Strength of the Arm, Hand, and Thumb for Control Forces (5th percentile values) – Female Data to be Added in the Future	141
Table 6.3-3. Maximum Push and Pull Forces Predicated Upon a Suitable Surface for Force Exertion (vertical with rough surface approximately 400 mm (15.75 in) wide and between 0.51 – 1.27 m (1.673 – 4.167 ft) above the floor) to Allow Force Application with the Hands, Shoulders, or Back	142
Table 6.3-4. Standard Console Dimensions for Five Working Positions	148
Table 6.3-5. Recommended Dimensions for Whole Body Access.....	157
Table 6.4-1. Specific Task Illumination Requirements.....	165
Table 6.4-2. Recommendations for Lighting	166
Table 6.4-3. Reflectance Values for Selected Colors.....	167
Table 6.4-4. General reflectance Recommendations	167
Table 6.4-5. Recommended Brightness Ratios	168
Table 6.4-6. Key for Figure 6.4-2	169
Table 6.4-7. Typical Ambient Noise Levels	173
Table 7.4-1. Data Categories, Purposes, and Methods.....	185
Table 7.5-1. Applications for Data Collection Methods	186
Table 8.3-1. NUCLARR Data Record Contents	189
Table 8.3-2. THERP Estimated HEP per Item (or Perceptual Unit) in Preparation of Written Materiala.....	190
Table 9.3-1. Major Dialogue Types and Their Applications	194
Table 9.3-2. Maximum System Response Times for Routine System Tasks	196